





Floor | Stonemix Grey 120x120 grp rt | Elemento L Stonemix Grey 15x60x4 grp
Wall | Stonemix Grey 60x120 grp rt

Sizes | Formati | Formats | Formate | Formatos

				
120x120 48"x48"	80x80 32"x32"	60x120 24"x48"	60x60 24"x24"	30x60 12"x24"

Colors | Colori | Couleurs | Farben | Colores



			
White	Gold	Grey	Anthracite



Floor | STONEMIX Anthracite 80x80 nt rt



Floor | STONEMIX White 60x60 nt rt
Wall | STONEMIX White 60x120 nt rt




Colorbody fine porcelain stoneware | Gres fine porcellanato colorato in massa
Grès cérame fin coloré dans la masse | Durchgefärbtes Feinsteinzeug
Gres porcelánico fino coloreado en masa

EN 14411-G Bla



Finishes

Superfici | Surfaces | Oberfläche | Superficies



Natural - nt

Naturale | Naturel
Naturbelassen | Natural



Grip - grp

Antisdrucchiolo | Antidérapant
Rutschhemmend | Agarre



60x120 nt / grp
80x80 nt / grp

Classement

U4 P3 E3 C2
U4 P3 E3 C2

60x60 nt / grp
30x60 nt / grp

Classement

U4	P4+ E3	C2
U4	P3 E3	C2



Colors
Colori | Couleurs | Farben | Colores



White



Gold




Grey



Anthracite

MODULES
MODULI | MODULE | MODULES | MÓDULOS



White
STN3AWH nt



Gold
STN3AGO nt
STG3AGO grp




Grey
STN3AGR nt
STG3AGR grp



Anthracite
STN3AAN nt

Mod. 3L	60x120 24"x48"	60x60 24"x24"	30x60 12"x24"
No. pcs/mod.	2 pcs	2 pcs	3 pcs
%/sqm	53.33%	26.67%	20%


Sizes | Formati | Formats | Formate | Formatos



120x120 48"x48"



60x120 24"x48"



80x80 32"x32"



60x60 24"x24"




30x60 12"x24"

	nt rt	grp rt	nt rt	grp rt	nt rt	grp rt
White	0092551	-	0092511	-	0092501	-
Gold	0092553	0092622	0092513	0092520	0092503	0092616
Grey	0092555	0092624	0092515	0092522	0092505	0092618
Anthracite	0092559	-	0092519	-	0092509	-


nt rt	grp rt	nt rt	grp rt
0092521	-	0092541	-
0092523	0092533	0092543	0092619
0092525	0092535	0092545	0092620
0092529	-	0092549	-

MOSAICO 5X5*

30x30 12"x12" nt | 4 pcs/box




White
0092590



Gold
0092591




Grey
0092592



Anthracite
0092594

MOSAICO MATTONCINO*


29,6x29,6 11²¹/₃₂"x11²¹/₃₂" nt | 4 pcs/box




White
0092610



Gold
0092611



Grey
0092612



Anthracite
0092614




* Mesh-mounted
Montato su rete
Sur trame
Auf Netz geklebt
Montado en red


Grouting color
Colore della fuga | Couleur de joint
Farbe der Fuge | Color de escape

White	Kerakoll 20	Mapei 103
Gold	Kerakoll 24	Mapei 130
Grey	Kerakoll 06	Mapei 110
Anthracite	Kerakoll 11	Mapei 114

Special trims

Pezzi speciali | Pièces spéciales | Formteile | Piezas especiales

	 Battiscopa 7x120 2 ²⁴ / ₃₂ "x24" 8 pcs/box nt	 Battiscopa 7x80 2 ²⁴ / ₃₂ "x32" 8 pcs/box nt	 Battiscopa 7x60 2 ²⁴ / ₃₂ "x24" 14 pcs/box nt	 Gradone doppia vela 33x120x4x2 13"x48"x1 ¹⁸ / ₃₂ "x ²⁵ / ₃₂ " 2 pcs/box nt	 Angolo gradone doppia vela 33x120x4x2 13"x48"x1 ¹⁸ / ₃₂ "x ²⁵ / ₃₂ " 1 pc/box nt SX	grp	grp SX	nt DX	grp DX
White	0092625	0092565	0092560	0092575	-	0092577	-	0092576	-
Gold	0092626	0092566	0092561	0092578	0092681	0092580	0092683	0092579	0092682
Grey	0092627	0092567	0092562	0092581	0092686	0092583	0092688	0092582	0092687
Anthracite	0092629	0092569	0092564	0092587	-	0092589	-	0092588	-

	 Elemento L 20x80x4 8"x32"x1 ¹⁸ / ₃₂ " 2 pcs/box grp	 Elemento L 15x60x4 6"x24"x1 ¹⁸ / ₃₂ " 4 pcs/box grp
White	-	-
Gold	0092680	0092571
Grey	0092685	0092572
Anthracite	-	-

Packaging

Imballi | Emballages | Verpackungen | Embalajes

	PZ x	M ² x	 x 	M ² x	KG x	KG x
120x120 48"x48"	2	2,88	16	46,08	55,63	890
80x80 32"x32"	2	1,28	45	57,60	24,00	1080
60x120 24"x48"	2	1,44	32	46,08	29,53	945
60x60 24"x24"	4	1,44	32	46,08	28,25	904
30x60 12"x24"	7	1,26	40	50,40	24,50	980

Suggestion for laying

Consigli per la posa | Conseil pour la pose | Verlegetipps
Consejos de colocación

Considering the characteristics of this series we suggest: 2-3 mm joint.
Viste le caratteristiche della serie si consiglia: fuga 2-3 mm.
Vu les caractéristiques de la série, nous conseillons : joint 2-3 mm.
Im Hinblick auf die Eigenschaften der Serie es empfiehlt sich: 2-3 mm Fuge.
Debido las caraterísticas de la serie, se recomienda la colocación con juntas mínimas de 2-3 mm.

For more detailed information on the technical characteristics of the material, contact the Cerdisa Quality Office through the website www.ricchetti-group.com.
Per richiedere informazioni più approfondite sulle caratteristiche tecniche del materiale, contattare l'Ufficio Qualità di Cerdisa attraverso il sito internet www.ricchetti-group.com. | Pour obtenir des informations plus approfondies sur les caractéristiques techniques du matériau, contacter le Bureau Qualité de Cerdisa à travers le site Internet www.ricchetti-group.com. | Um nähere Informationen zu den technischen Merkmalen des Materials zu erhalten, wenden Sie sich bitte über die Website www.ricchetti-group.com an die Qualitätsabteilung von Cerdisa. | Para solicitar información más detallada sobre las características técnicas del material, póngase en contacto con el Departamento de Calidad Cerdisa a través del sitio web www.ricchetti-group.com.